



VIRTUO

“myReference,”

Tiles & Planks

Gerflor®



Daintree Brown.



Content

Introduction:

GERFLOR DECORATION TRENDS *p. 04*

Virtuo Collections:

SUBTLE LIGHTNESS *p. 08*

INCREDIBLE COMFORT *p. 14*

SCANDINAVIAN SERENITY *p. 20*

TIMELESS DESIGNS *p. 26*

HARMONIOUS SHADES *p. 32*

Complementary informations:

RANGE BY DESIGN *p. 36*

4 INSTALLATION METHODS *p. 40*

CHOICE OVERVIEW *p. 42*

APPLICATIONS *p. 44*

EASY INSTALLATION *p. 45*

COMFORT & ACOUSTIC *p. 46*

ENVIRONMENT *p. 47*

MAINTENANCE *p. 48*

TECHNICAL DESCRIPTION *p. 50*

TECHNICAL CHARACTERISTICS *p. 52*

ACCESSORIES *p. 54*




Gerflor decoration trends

MODULARITY / SPECTRUM / SYMMETRY



REFLECT / RAY / ANGLES / OUTLINER





FORESTLAND

WILD / LANDSCAPE / BARK / MUSK

YELLOW STONE / ORGANIC / PURE





Gerflor decoration trends

ETHNIC / MYSTIC / EXOTIC / RHYTHM




SAHARA / SAFARI / MASSAI / WILD



boudoir / melancholy / poetic / tender



pastel / nuance / essence / flowers



Subtle lightness



A bright and elegant selection
for refined modern living spaces.





VIRTUO

SHOCK RESISTANT

Empire Clear.



Engage, savour,
enjoy.



Baita Dark.



Baita Medium.



Linley.



Lorca Beige.



Lorca Blue.

Crepato.



Land Oak Grey.



Mix, share, feast.

Club Grey.

Incredible comfort

Delicate and clear designs, sources
of serenity and balance for all the family.



VIRTUO

SILENT & COMFORTABLE





Discover, grow,
have fun.

Empire Grey.

Arco.



Empire Blond.



Empire Sand.



Land Oak Gold.

Sakia.



Sunny Nature.





Rest, dream, love.

Sunny Light.

Scandinavian serenity



A Nordic spirited assortment
that combines originality and versatility.





WATER RESISTANT

VIRTUO

Latina Clear.



Splash, play, relax.

Nevada Dark.



Sunny Black.



Elite Grey.




Latina Pearl.



Nevada Clear.



Nevada Grey.



Mia.



Read, plan,
renovate.

Empire Pearl.

Timeless designs

Vintage floors with strong and creative
reliefs for a unique tactile experience.



VIRTUO

EASY TO CLEAN



Butterfly Elite Copper.



Pub Design.



Butterfly Elite Gold.



Compose, create,
escape.

Pub Dark.



Laugh, play,
have fun.

Club Light.



Latina beige.



Lorca Clear.

Meka.

Harmonious shades

Modern and versatile floors with neutral colours for an exceptional aesthetic harmony.



VIRTUO

TRAFFIC RESISTANCE

PAGE | 33

VIRTUO DESIGN FOR LIFE

Nordic Stone.


Elona.



Latina Medium.

Sunny White.






Seek, find, keep.

Latina Dark.



Range by design




Arco :p.17

CLIC 55 ▶ 214 x 1239 mm
 RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
 RIGID 30 LOCK ▶ 178 x 1219 mm
 TOP SILENCE DESIGN ▶ 229 x 1235 mm
 GLUE DOWN 55 ▶ 184 x 1219 mm



Baita Blond :p.01

CLIC 30 ▶ 242 x 1461 mm
 GLUE DOWN 30 ▶ 230 x 1500 mm



Baita Dark :p.11

CLIC 30 ▶ 242 x 1461 mm
 GLUE DOWN 30 ▶ 230 x 1500 mm



Baita Medium :p.11

CLIC 30 ▶ 242 x 1461 mm
 GLUE DOWN 30 ▶ 230 x 1500 mm



Baita Taupe :p.10

CLIC 30 ▶ 242 x 1461 mm
 GLUE DOWN 30 ▶ 230 x 1500 mm



Butterfly Elite Copper :p.28

CLIC 30 ▶ 391 x 729 mm
 GLUE DOWN 30 ▶ 610 x 610 mm



Butterfly Elite Dark :p.27

CLIC 30 ▶ 391 x 729 mm
 GLUE DOWN 30 ▶ 610 x 610 mm



Butterfly Elite Gold :p.28

CLIC 30 ▶ 391 x 729 mm
 GLUE DOWN 30 ▶ 610 x 610 mm




Club Grey :p.13

CLIC 55 / 30 ▶ 214 x 1239 mm
 RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
 RIGID 30 LOCK ▶ 178 x 1219 mm
 TOP SILENCE DESIGN ▶ 229 x 1235 mm
 GLUE DOWN 55 / 30 ▶ 184 x 1219 mm



Club Light :p.30

CLIC 55 / 30 ▶ 214 x 1239 mm
 RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
 RIGID 30 LOCK ▶ 178 x 1219 mm
 TOP SILENCE DESIGN ▶ 229 x 1235 mm
 GLUE DOWN 55 / 30 ▶ 184 x 1219 mm




Crepato Clear :p.12

CLIC 55 ▶ 214 x 1239 mm
 GLUE DOWN 55 ▶ 184 x 1219 mm



Daintree Brown :p.02

CLIC 55 ▶ 242 x 1461 mm
 RIGID 55 LOCK ACOUSTIC ▶ 225 x 1524 mm
 RIGID 30 LOCK ▶ 228 x 1492 mm
 TOP SILENCE DESIGN ▶ 229 x 1235 mm
 GLUE DOWN 55 ▶ 230 x 1500 mm



Elite Grey p.23

CLIC 55 ▶ 391 x 729 mm
RIGID 55 LOCK ACOUSTIC ▶ 457 x 914 mm
RIGID 30 LOCK ▶ 457 x 914 mm
TOP SILENCE DESIGN ▶ 298 x 620 mm
GLUE DOWN 55 ▶ 610 x 610 mm



Elona p.34

CLIC 55 ▶ 214 x 1239 mm
RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
RIGID 30 LOCK ▶ 178 x 1219 mm
TOP SILENCE DESIGN ▶ 229 x 1235 mm
GLUE DOWN 55 ▶ 184 x 1219 mm



Empire Blond p.17

CLIC 55 / 30 ▶ 242 x 1461 mm
RIGID 55 LOCK ACOUSTIC ▶ 225 x 1524 mm
RIGID 30 LOCK ▶ 228 x 1492 mm
TOP SILENCE DESIGN ▶ 229 x 1815 mm
GLUE DOWN 55 / 30 ▶ 230 x 1500 mm




Empire Clear p.09

CLIC 55 / 30 ▶ 242 x 1461 mm
GLUE DOWN 55 / 30 ▶ 230 x 1500 mm



Empire Grey p.16

CLIC 55 / 30 ▶ 242 x 1461 mm
RIGID 55 LOCK ACOUSTIC ▶ 225 x 1524 mm
RIGID 30 LOCK ▶ 228 x 1492 mm
TOP SILENCE DESIGN ▶ 229 x 1815 mm
GLUE DOWN 55 / 30 ▶ 230 x 1500 mm



Empire Pearl p.25

CLIC 55 / 30 ▶ 242 x 1461 mm
GLUE DOWN 55 / 30 ▶ 230 x 1500 mm



Empire Sand p.17

CLIC 55 ▶ 242 x 1461 mm
RIGID 55 LOCK ACOUSTIC ▶ 225 x 1524 mm
RIGID 30 LOCK ▶ 228 x 1492 mm
TOP SILENCE DESIGN ▶ 229 x 1815 mm
GLUE DOWN 55 ▶ 230 x 1500 mm



Graphic Latina p.41

CLIC 55 ▶ 214 x 1239 mm
GLUE DOWN 55 ▶ 184 x 1219 mm



Land Oak Gold p.18

CLIC 55 ▶ 242 x 1461 mm
RIGID 55 LOCK ACOUSTIC ▶ 225 x 1524 mm
RIGID 30 LOCK ▶ 228 x 1492 mm
TOP SILENCE DESIGN ▶ 229 x 1235 mm
GLUE DOWN 55 ▶ 230 x 1500 mm



Land Oak Grey p.12

CLIC 55 ▶ 242 x 1461 mm
RIGID 55 LOCK ACOUSTIC ▶ 225 x 1524 mm
RIGID 30 LOCK ▶ 228 x 1492 mm
TOP SILENCE DESIGN ▶ 229 x 1235 mm
GLUE DOWN 55 ▶ 230 x 1500 mm




Latina Beige p.31

CLIC 55 / 30 ▶ 391 x 729 mm
RIGID 30 LOCK ▶ 457 x 914 mm
GLUE DOWN 55 / 30 ▶ 610 x 610 mm



Range by design




Latina Clear :p.21
 CLIC 55 / 30 ▶ 391 x 729 mm
 RIGID 30 LOCK ▶ 457 x 914 mm
 GLUE DOWN 55 / 30 ▶ 610 x 610 mm



Latina Dark :p.35
 CLIC 55 / 30 ▶ 391 x 729 mm
 GLUE DOWN 55 / 30 ▶ 610 x 610 mm



Latina Medium :p.34
 CLIC 55 / 30 ▶ 391 x 729 mm
 GLUE DOWN 55 / 30 ▶ 610 x 610 mm



Latina Pearl :p.23
 CLIC 55 / 30 ▶ 391 x 729 mm
 GLUE DOWN 55 / 30 ▶ 610 x 610 mm



Linley :p.11
 CLIC 55 / 30 ▶ 214 x 1239 mm
 RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
 RIGID 30 LOCK ▶ 178 x 1219 mm
 TOP SILENCE DESIGN ▶ 229 x 1235 mm
 GLUE DOWN 55 / 30 ▶ 184 x 1219 mm




Lorca Beige :p.12
 CLIC 55 / 30 ▶ 391 x 729 mm
 GLUE DOWN 55 / 30 ▶ 457 x 914 mm



Lorca Blue :p.12
 CLIC 55 / 30 ▶ 391 x 729 mm
 GLUE DOWN 55 / 30 ▶ 457 x 914 mm



Lorca Clear :p.31
 CLIC 55 / 30 ▶ 391 x 729 mm
 GLUE DOWN 55 / 30 ▶ 457 x 914 mm




Meka :p.31
 CLIC 55 ▶ 391 x 729 mm
 RIGID 55 LOCK ACOUSTIC ▶ 457 x 914 mm
 RIGID 30 LOCK ▶ 457 x 914 mm
 TOP SILENCE DESIGN ▶ 298 x 620 mm
 GLUE DOWN 55 ▶ 457 x 914 mm



Mia :p.24
 CLIC 55 ▶ 214 x 1239 mm
 RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
 TOP SILENCE DESIGN ▶ 229 x 1235 mm
 GLUE DOWN 55 ▶ 184 x 1219 mm



Mikado :p.15
 CLIC 55 / 30 ▶ 214 x 1239 mm
 RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
 RIGID 30 LOCK ▶ 178 x 1219 mm
 TOP SILENCE DESIGN ▶ 229 x 1235 mm
 GLUE DOWN 55 / 30 ▶ 184 x 1219 mm




Nevada Clear :p.24
 CLIC 30 ▶ 391 x 729 mm
 GLUE DOWN 30 ▶ 457 x 914 mm



Nevada Dark :p.22

CLIC 30 ▶ 391 x 729 mm
GLUE DOWN 30 ▶ 457 x 914 mm



Nevada Grey :p.24

CLIC 30 ▶ 391 x 729 mm
GLUE DOWN 30 ▶ 457 x 914 mm



Nordic Stone :p.33

CLIC 55 ▶ 391 x 729 mm
RIGID 55 LOCK ACOUSTIC ▶ 457 x 914 mm
RIGID 30 LOCK ▶ 457 x 914 mm
TOP SILENCE DESIGN ▶ 298 x 620 mm
GLUE DOWN 55 ▶ 457 x 914 mm



Pub Dark :p.29

CLIC 55 ▶ 242 x 1461 mm
GLUE DOWN 55 ▶ 230 x 1500 mm




Pub Design :p.28

CLIC 55 ▶ 242 x 1461 mm
GLUE DOWN 55 ▶ 230 x 1500 mm



Sakia :p.18

CLIC 55 / 30 ▶ 214 x 1239 mm
RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
RIGID 30 LOCK ▶ 178 x 1219 mm
TOP SILENCE DESIGN ▶ 229 x 1235 mm
GLUE DOWN 55 / 30 ▶ 184 x 1219 mm



Sunny Black :p.23

CLIC 55 ▶ 214 x 1239 mm
GLUE DOWN 55 ▶ 184 x 1219 mm



Sunny Light :p.19

CLIC 55 / 30 ▶ 214 x 1239 mm
RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
RIGID 30 LOCK ▶ 178 x 1219 mm
TOP SILENCE DESIGN ▶ 229 x 1235 mm
GLUE DOWN 55 / 30 ▶ 184 x 1219 mm



Sunny Nature :p.18

CLIC 55 / 30 ▶ 214 x 1239 mm
RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
RIGID 30 LOCK ▶ 178 x 1219 mm
TOP SILENCE DESIGN ▶ 229 x 1235 mm
GLUE DOWN 55 / 30 ▶ 184 x 1219 mm




Sunny White :p.34


CLIC 55 / 30 ▶ 214 x 1239 mm
RIGID 55 LOCK ACOUSTIC ▶ 177 x 1219 mm
RIGID 30 LOCK ▶ 178 x 1219 mm
TOP SILENCE DESIGN ▶ 229 x 1235 mm
GLUE DOWN 55 / 30 ▶ 184 x 1219 mm




4 Installation Methods




**55 - 30
CLIC**



**RIGID 55 LOCK
ACOUSTIC**
RIGID 30 LOCK



**TOP SILENCE
DESIGN**



**55 - 30
GLUE DOWN**





Graphic Latina.



Choice overview

Let's see what's the best choice for you!

1

collection

4

product solutions

45

original designs

200

possibilities

What's my style?	Choice
	Design & Realism
	Exclusive format
Where can I install it?	Bedroom
	Child Bedroom
	Living room
	Kitchen
	Wetroom (bathroom, toilets,....)
	Corridor
	Office / Boutique
Is it difficult to install?	Easy to cut?
	Assembling system
	One plank / tile replacement
	Installation time
	Installation difficulty
Witch subfloor?	Direct installation on ceramic
	Direct installation on concrete
	Direct installation on wood / parket
	Expansion Gap
	Direct sun exposure / Bay window (need to glue in front of a window)
	Need additional underlayer
What if I like acoustic & silence?	Acoustic comfort
	Impact sound insulation (to the room downstairs)
	Walking noise (in the room)
	Water resistance
	Walk comfort (no sublayer)
Don't like cleaning? Make it easy!	
What is your green level?	
Cost comparaison	On equivalent wear layer

WARRANTY

VIRTUO
ADHESIVE FREE INSTALLATION

VIRTUO
GLUE DOWN INSTALLATION

RIGID
ADHESIVE FREE INSTALLATION

TOP SILENCE DESIGN
ADHESIVE FREE INSTALLATION

55 CLIC 30 CLIC

55 30

55 LOCK ACOUSTIC 30 LOCK

CLASS 32


★★★★★	
★★★★★	
3 standard formats	
x	x
x	x
x	-
x	-
x	x
x	-
x	-
Vinyl	
Vertical clic	
Yes	
Beginner	
Yes if joints < 4 mm Width < 1 mm depth	
Yes	
If nailed only	
5 mm	
No need to glue, but have appropriate protection in case of high exposure to sun (curtains...)	
Not mandatory. Recommended if acoustic insulation needed.	
★★★★★	
-4 dB	
78 dB	
★★★ No infiltration in joints	
★★★★★	
Mop	
Top	
\$\$\$\$	\$\$\$

★★★★★	
★★★★★	
Square tiles 61 x 61 cm	
x	x
x	x
x	-
x	-
x	x
x	-
x	-
Vinyl	
Glue	
No	
Professional installers	
No	
Flat surface / resurfacing if needed	
No	
No	
Glue	
Not mandatory. Recommended if acoustic insulation needed.	
★★★★	
-4 dB	
77 dB	
★★★★	
Mop	
Top	
\$	\$


★★★★★	
★★★★★	
3 standard formats	
x	x
x	x
x	-
x	-
-	-
x	-
x	-
Rigid Vinyl	
Lock	
No	
Handyman	
Yes if joints < 6 mm Width < 2 mm depth	
Yes	
If nailed only	
> 8 mm	
No need to glue, but have appropriate protection in case of high exposure to sun (curtains...)	
Prohibited	Not mandatory. Recommended if acoustic insulation needed.
★★	★
-18 dB	-4 dB
81 dB	80 dB
★★	
★★	
Mop	
Top	
\$\$\$\$\$	\$\$\$\$

★★★★★	
★★★★★	
XXL 180 cm	
x	
x	
x	
-	
-	
x	
-	
HDF + Vinyl	
Lock	
No	
Handyman	
Yes if joints < 6 mm Width < 2 mm depth	
Yes	
No	
12 mm	
No need to glue, but have appropriate protection in case of high exposure to sun (curtains...)	
PE anti-humidity underlayer if concrete isn't 100% dry.	
★★	
-16 dB	
77 dB	
No	
★★★★★	
Mop, do not flush with large amount of water	
Top	
\$\$\$	

55
15 YEARS




30
12 YEARS





Applications



55 High traffic |
30 55 Medium traffic |

CLIC						
RIGID						
TOP SILENCE DESIGN						
GLUE DOWN						



Easy installation

1. If renovation on ceramic

CLIC 30 / 55	RIGID 30 / 55	TOP SILENCE DESIGN
Joint < 4 mm & joint depth < 4 mm	Joint < 6 mm & joint depth < 2 mm	Joint < 6 mm & joint depth < 2 mm

2. In case of perfect floor base (flat surface)

CLIC 30 / 55	RIGID 30 / 55	TOP SILENCE DESIGN	GLUE DOWN 30 / 55

3. Installation

	CLIC 30 / 55	RIGID 30 / 55	TOP SILENCE DESIGN	GLUE DOWN 30 / 55
Tools				
Assembling system				
Installation time				








Comfort & acoustic

Vinyl absorbs walking noise

The more flexible it is, the better it performs in acoustics!

ACOUSTIC & CHOICE



CLIC 30 / 55

RIGID 55

RIGID 30

TOP SILENCE
DESIGN

GLUE DOWN
30 / 55

Walking noise
(in the room)

78 dB

81 dB

80 dB

77 dB

77 dB



Impact sound
insulation
(to the room
downstairs)

-4 dB

-18 dB

-4 dB

-16 dB

-4 dB



With Gerflor
underlays

Acoustic -15 dB
Silence Plus -19 dB

Smart Fix -16 dB*

* Virtuo 30 and Virtuo 55 can be installed on Smartfix underlayer FOR RESIDENTIAL USE ONLY (traffic less than 10 pers / day)



Environment

Recycling? We know how to do it with flooring!

AN ECO-RESPONSIBLE SOLUTION



Raw materials

SAFE RAW MATERIALS

- No heavy metals, no solvents, no formaldehyde
- 100% REACH - Phthalate Free (except recycled content)



Indoor air quality

Low VOC emissions

- TVOC emissions after 28 days <100µg/m³
- No Formaldehyde emission



GOING FURTHER



Environmental footprint

- All our products are **eco-designed** based on a life-cycle analysis model in order to **reduce their environmental impact**




Recycling

- 100% **recyclable** materials
- **All recycled materials** used in our products are checked and comply with the European REACH Regulation




Easy to clean


Maintenance



**55 - 30
Clic**



**Rigid 55 Lock
Acoustic
Rigid 30 Lock**



**Top Silence
Design**
Do not flush
with large amount
of water.



**55 - 30
Glue Down**



1- Cleaning LVT



Manual washing equipment

Disposable microfibre mop or gauze



Damp sweeping equipment

Flexible mop preferably fitted with disposable, antistatic and/or pre-impregnated gauze strips.



Steam cleaning equipment

Follow the manufacturer's recommendations

—

In the case of **manual maintenance** and to offer you the best results in terms of hygiene and appearance, **Gerflor recommends that you use neutral and alkaline detergents with high wetting power** (complete spreading and cleaning of the entire floor surface).

—

2- Stain removal

Precaution for use

Never use any procedure that risks damaging the surface treatment (abrasive products, solvents, ect...).

Never use rubber caps (for chair legs or other furniture); instead, use PVC or Polyethylene caps.



Technical description



01	Plank	CREPATO CLEAR
02	Tile	LORCA BEIGE
03	Tile	LORCA BLUE
04	Tile	LORCA CLEAR
05	Plank	LAND OAK GREY
06	Tile	LATINA CLEAR
07	Tile	LATINA MEDIUM
08	Plank	GRAPHIC LATINA
09	Tile	LATINA BEIGE
10	Tile	LATINA PEARL
11	Tile	LATINA DARK
12	Plank	CLUB GREY
13	Tile	ELITE GREY
14	Tile	NEVADA DARK
15	Plank	SUNNY WHITE
16	Plank	SUNNY BLACK
17	Tile	NORDIC STONE
18	Plank	PUB DARK
19	Plank	PUB DESIGN
20	Tile	BUTTERFLY ELITE GOLD
21	Tile	BUTTERFLY ELITE COPPER
22	Tile	BUTTERFLY ELITE DARK
23	Plank	BAITA DARK
24	Plank	BAITA MEDIUM
25	Plank	BAITA BLOND
26	Plank	BAITA TAUPE
27	Plank	MIKADO
28	Tile	MEKA
29	Plank	LINLEY
30	Plank	DAINTREE BROWN
31	Plank	MIA
32	Plank	CLUB LIGHT
33	Plank	ELONA
34	Tile	NEVADA CLEAR
35	Tile	NEVADA GREY
36	Plank	ARCO
37	Plank	EMPIRE BLOND
38	Plank	EMPIRE GREY
39	Plank	EMPIRE PEARL
40	Plank	EMPIRE SAND
41	Plank	EMPIRE CLEAR
42	Plank	LAND OAK GOLD
43	Plank	SAKIA
44	Plank	SUNNY NATURE
45	Plank	SUNNY LIGHT

VIRTUO ADHESIVE FREE INSTALLATION		VIRTUO GLUE DOWN INSTALLATION		RIGID ADHESIVE FREE INSTALLATION		TOP SILENCE DESIGN ADHESIVE FREE INSTALLATION	
55 Clic	30 Clic	55	30	55 Lock Acoustic	30 Lock	Class 32	
60150887 1239 X 214		36100887 1219 x 184 mm					
60140998 729 x 391 mm	60240998 729 x 391 mm	36080998 914 x 457 mm	36110998 914 x 457 mm				
60141000 729 x 391 mm	60241000 729 x 391 mm	36081000 914 x 457	36111000 914 x 457				
60140885 729 x 391 mm	60240885 729 x 391 mm	36080885 914 x 457	36110885 914 x 457				
60251017 1461 x 242 mm		36131017 1500 x 230 mm		KILDA PEARL	35680019 1524 x 225 mm	36270019 1492 x 228 mm	ARDA PEARL 35650010 1235 x 229 mm
60140990 729 x 391 mm	60240990 729 x 391 mm	36070990 610 x 610 mm	36120990 610 x 610 mm	LATINA CLEAR		36301047 914 x 457 mm	
60140886 729 x 391 mm	60240886 729 x 391 mm	36070886 610 x 610 mm	36120886 610 x 610 mm				
60150994 1239 x 214 mm		36100994 1219 x 184 mm					
60140989 729 x 391 mm	60240989 729 x 391 mm	36070989 610 x 610 mm	36120989 610 x 610 mm	LATINA BEIGE		36301046 914 x 457 mm	
60140994 729 x 391 mm	60240994 729 x 391 mm	36070994 610 x 610 mm	36120994 610 x 610 mm				
60140992 729 x 391 mm	60240992 729 x 391 mm	36070992 610 x 610 mm	36120992 610 x 610 mm				
60150288 1239 x 214 mm	60230288 1239 x 214 mm	36100288 1219 x 184 mm	36150288 1219 x 184 mm	SUAVE GREY	35660977 1219 x 177 mm	36260977 1219 x 178 mm	MONTEGO GREY 35650014 1235 x 229 mm
60140988 729 x 391 mm		36070988 610 x 610 mm		KUTA GREY	35670960 914 x 457 mm	36300960 914 x 457 mm	CREPUSCULE GREY 35641044 620 x 298 mm
	60241005 729 x 391 mm		36111005 914 x 457 mm				
60150286 1239 x 214 mm	60230286 1239 x 214 mm	36100286 1219 x 184 mm	36150286 1219 x 184 mm	SUCRE WHITE	35660983 1219 x 177 mm	36260983 1219 x 178 mm	TAVIRA WHITE 35650012 1235 x 229 mm
60150995 1239 x 214 mm		36100995 1219 x 184 mm					
60141001 729 x 391 mm		36081001 914 x 457 mm		TRONDHEIM	35670011 914 x 457 mm	36300011 914 x 457 mm	NEGRA 35640001 620 x 298 mm
60251021 1461 x 242 mm		36131021 1500 x 230 mm					
60251022 1461 x 242 mm		36131022 1500 x 230 mm					
	60241009 729 x 391 mm		36121009 610 x 610 mm				
	60241007 729 x 391 mm		36121007 610 x 610 mm				
	60241008 729 x 391 mm		36121008 610 x 610 mm				
	60221024 1461 x 242 mm		36141024 1500 x 230 mm				
	60221025 1461 x 242 mm		36141025 1500 x 230 mm				
	60221023 1461 x 242 mm		36141023 1500 x 230 mm				
	60221026 1461 x 242 mm		36141026 1500 x 230 mm				
60151100 1239 x 214 mm	60231100 1239 x 214 mm	36101100 1219 x 184 mm	36151100 1219 x 184 mm	LOVINA	35660008 1219 x 177 mm	36260008 1219 x 178 mm	ESTRELA 35650008 1235 x 229 mm
60143078 729 x 391 mm		36083078 914 x 457 mm		BELLO	35670013 914 x 457 mm	36300013 914 x 457 mm	MINHO 35640002 620 x 298 mm
60151112 1239 x 214 mm	60231112 1239 x 214 mm	36101112 1219 x 184 mm	36151112 1219 x 184 mm	CRUNCHY	35660979 1219 x 177 mm	36260979 1219 x 178 mm	BRAGA 35650015 1235 x 229 mm
60251010 1461 x 242 mm		36131010 1500 x 230 mm		PUNO BROWN	35680016 1524 x 225 mm	36270016 1492 x 228 mm	RUIVO BROWN 35650006 1235 x 229 mm
60151108 1239 x 214 mm		36101108 1219 x 184 mm		COCHA	35660005 1219 x 177 mm		CARVALHO 35650007 1235 x 229 mm
60150287 1239 x 214 mm	60230287 1239 x 214 mm	36100287 1219 x 184 mm	36150287 1219 x 184 mm	SUAVE LIGHT	35660978 1219 x 177 mm	36260978 1219 x 178 mm	MONTEGO LIGHT 35650013 1235 x 229 mm
60150755 1239 x 214 mm		36100755 1219 x 184 mm		QUITO	35660007 1219 x 177 mm	36260007 1219 x 178 mm	PENICHE 35650004 1235 x 229 mm
	60241004 729 x 391 mm		36111004 914 x 457				
	60241006 729 x 391 mm		36111006 914 x 457				
60150039 1239 x 214 mm		36100039 1219 x 184 mm		CARTAGO	35660010 1219 x 177 mm	36260010 1219 x 178 mm	DOURO 35650003 1235 x 229 mm
60251011 1461 x 242 mm	60221011 1461 x 242 mm	36131011 1500 x 230 mm	36141011 1500 x 230 mm	JIVE BLOND	35680976 1524 x 225 mm	36270976 1492 x 228 mm	TIKAL BLOND 36401087 1815 x 229 mm
60251013 1461 x 242 mm	60221013 1461 x 242 mm	36131013 1500 x 230 mm	36141013 1500 x 230 mm	JIVE GREY	35680973 1524 x 225 mm	36270973 1492 x 228 mm	TIKAL GREY 36401086 1815 x 229 mm
60251014 1461 x 242 mm	60221014 1461 x 242 mm	36131014 1500 x 230 mm	36141014 1500 x 230 mm				
60251015 1461 x 242 mm		36131015 1500 x 230 mm		JIVE SAND	35680970 1524 x 225 mm	36270970 1492 x 228 mm	TIKAL SAND 36401085 1815 x 229 mm
60251012 1461 x 242 mm	60221012 1461 x 242 mm	36131012 1500 x 230 mm	36141012 1500 x 230 mm				
60251016 1461 x 242 mm		36131016 1500 x 230 mm		KILDA GOLDEN	35680015 1524 x 225 mm	36270015 1492 x 228 mm	ARDA GOLDEN 35650009 1235 x 229 mm
60151118 1239 x 214 mm	60231118 1239 x 214 mm	36101118 1219 x 184 mm	36151118 1219 x 184 mm	HOBART	35660002 1219 x 177 mm	36260002 1219 x 178 mm	SINTRA 35650005 1235 x 229 mm
60150997 1239 x 214 mm	60230997 1239 x 214 mm	36100997 1219 x 184 mm	36150997 1219 x 184 mm	SUCRE NATURE	35660980 1219 x 177 mm	36260980 1219 x 178 mm	TAVIRA NATURE 35651031 1235 x 229 mm
60150996 1239 x 214 mm	60230996 1239 x 214 mm	36100996 1219 x 184 mm	36150996 1219 x 184 mm	SUCRE	35660004 1219 x 177 mm	36260004 1219 x 178 mm	TAVIRA CLEAR 35650011 1235 x 229 mm

Technical characteristics

DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN DESCRIÇÃO / DESCRIZIONE

Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346	mm
Thickness of the wearlayer / Dicke der Nuttschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340	mm
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997	g/m ²
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342	mm

CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES CLASSIFICAÇÕES / CLASSIFICAZIONI

Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto	-	-
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Clasificación europea / Classificação Europeia / Europea	EN ISO 10874	Class
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida ⁽¹⁾	DIN 51130 / BGR 181	Class


PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE QUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE

Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm ³
Wear Group / Verschleißgruppe / Groep slijtvastheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999	%
Dimensional stability (average measured value) / Maßstabilität (Durchschnittswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidad Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Impronta	EN ISO 24343-1	mm
Impact sound insulation / Trittschallverbesserungsmaß / Geluidisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB
Castor chair test / Stuhllrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passaggio di sed (Type W)	ISO 4918	-
Thermal Conductivity / Wärmeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemotstånd	EN ISO 10456	W/(m.K)
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree
Surface Treatment / Oberflächenvergrüfung / Oppervlaktebehandling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici ⁽²⁾	EN ISO 26987	-

ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR MEIO AMBIENTE/QUALIDADE DO AR INTERIOR

TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m ³
Certification / Zeugnis / Certification / Certificado / Certificação	-	-

CE MARKING / CE KENNZEICHNUNG / EG CONFORMITEITSMERK / MARQUAGE CE MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA

	EN 14041	-
---	----------	---

(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile.

(2) Beständig gegenüber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Säuren und Laugen bei kurzzeitiger Einwirkung.

VIRTUO 55 CLIC
Adhesive free installation

VIRTUO 30 CLIC
Adhesive free installation

VIRTUO 55
Glue Down Installation

VIRTUO 30
Glue Down Installation

RIGID 55 LOCK ACOUSTIC
Adhesive free installation

RIGID 30 LOCK
Adhesive free installation

TOP SILENCE DESIGN
Adhesive free installation

5.00	4.20	2.50	2.00	6.00	4.00	9.50
0.55	0.30	0.55	0.30	0.55	0.30	-
8230	7385	4410	3560	9480	7890	9880
214x1239 / 242x1461 391x729	214x1239 / 242x1461 391x729	184x1219 / 230x1500 457x914 / 610x610	184x1219 / 230x1500 457x914 / 610x610	177x1219 / 225x1524 457x914	178x1219 / 228x1492 457x914	229x1235 / 229x1815 298x620

EN ISO 10582	EN ISO 10582	EN ISO 10582	EN ISO 10582	EN ISO 10582	EN ISO 10582	EN 16511
33 - 42	23 - 31	33 - 42	23 - 31	33 - 42	23 - 31	32
Bβ-s1	Bβ-s1	Bβ-s1	Bβ-s1	Bβ-s1	Bβ-s1	Bβ-s1
< 2	< 2	< 2	< 2	< 2	< 2	< 2
R10	R10	R10	R10	R10	R10	R10

≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0	< 2.0	≤ 2.0	-
T	T	T	T	T	T	-
I	I	I	I	I	I	-
≤ 0.15	≤ 0.15	≤ 0.25	≤ 0.25	≤ 0.15	≤ 0.15	≤ 0.15
≤ 0.05	≤ 0.05	≤ 0.10	≤ 0.10	≤ 0.05	≤ 0.08	-
≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10
4	4	4	4	18	4	16
78	78	77	77	81	80	-
OK	OK	OK	OK	OK	OK	OK
0.25	0.25	0.25	0.25	0.25	0.25	0.25
≥ 6	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6
PUR+ Matt	PUR+ Matt	PUR+ Matt	PUR+ Matt	PUR+ Matt	PUR+ Matt	PUR+ Matt
OK	OK	OK	OK	OK	OK	OK

< 10	< 10	< 10	< 10	< 100	< 100	< 100
Floorscore®	Floorscore®	-	-	-	-	-





Accessories

1- Decorative skirtings

SKIRTINGS

45 DESIGNS ASSOCIATED TO ALL VIRTUO DECORS IN PVC OR MDF

6086



• Packaging: 6 x 2 m



- Own brands: Gerflor.
- Thickness of associated flooring: All thicknesses.
- Description: Vinyl Design Skirting for a perfect finish of Gerflor floorcoverings. 100% watertight, it could be installed in all environment. Thin and discrete, it ensures an elegant finish and hides the dilatation gaps. Designs of the VIRTUO collections. The skirting is also available in white version, can be painted.

5947




• Packaging: 5 x 2,2 m

5948



COVER SKIRTING

- Thickness of associated flooring: All thicknesses.
- Description: MDF skirting with a highly resistant paper overlay providing a finish without having to remove existing skirting. Precut for heights of 60/80/100 and 120 mm.
- Packaging: 1 x 2.2 m.



2550




2- Flat thresholds

FLAT THRESHOLDS

- Thickness of associated flooring: All thicknesses.
- Description: Aluminium flat (30 mm) or extra flat (40 mm) thresholds for junctions between two rooms Available in screwed or bonded installation. To screw or glue.
- Packaging: 1 x 2.7 or 0.9 m.
- Numerous colours available: 2.
- Available in aluminium or titanium finish.



1570 / 1571



«DESIGN CLIP» THRESHOLDS

- Thickness of associated flooring: 4/6 mm.
- Description: Aluminium threshold for the connection between two floor coverings while allowing space for expansion.
- Packaging: 1 x 3 m.
- No visible screws.
- Available in aluminium or titanium finish.



3355 / 3356




SYMMETRICAL PPS AS

Description:

- A «drilled base» which must be screwed to the floor.
- A drilled «cover» to be screwed on the aluminium channel.
- Screws and plugs.
- Available in aluminium or titanium finish.



3410 / 3412



3- Multi-level thresholds



MULTI-LEVEL RAMP

Description:

- Flat position or high position.
- Compensates 0 to 18 mm heights.
- Available in aluminium or titanium finish.



1940 / 1941





REDUCER « DESIGN CLIP» THRESHOLS

- Thickness of associated flooring: 4/6 mm.
- Description: Aluminium multilevel access ramp available in two finishes. Enables gentle access to LVT areas.
- Packaging: 1 x 3 m.
- No visible screws.
- Available in aluminium or titanium finish.



3365 / 3366




4- Stairs

Double-stop 2,5mm

1602



30/55




Double-edge 4mm

1604



30




Bendable stairnosing 5mm

1629



55




Double-edge 6mm

1606




55



Laminate 10,04mm

1489



5- Underlayers

Gerflor acoustic 15 dB

1798



- Associated flooring: Virtuo 55 Clic / Virtuo 30 Clic.
- Description: Isophonic underlay designed to reduce impact noise to 15 dB. Adapted to all types of traffic.
- Packaging: 1 x 15 m = 15 m².
- Associated product : Alu Tape (5950).

Gerflor Silence Plus 19 dB

5949



- Associated flooring: Virtuo 55 Clic / Virtuo 30 Clic.
- Description: Underlayer in accordance to achieve up to 19 dB acoustic insulation with Gerflor LVT Clic. Adapted for moderate traffic.
- Packaging: 1.18m x 8,5 m = 10 sqm.
- Associated product : Alu Tape (5950).

Gerflor Smart Fix 16 dB

1698



- Associated flooring: Virtuo 55 Glue Down / Virtuo 30 Glue Down.
- Description: Underlayer with self-adhesive surface for a loose lay installation of LVT dry back and to achieve up to 16 dB acoustic insulation. Adapted for all traffic types.
- Packaging: 1m x 7.5 m = 7.5 sqm.

6- Tools

Orckal flooring fitter's knife

91108



- Description: Ergonomic shape for greater comfort and use in all cutting and trimming situations.

Anti-bounce mallet

5951



- Description: For assembling Virtuo Clic planks Non-marking and absorbs impacts.

Special LVT roller

058V



- Description: The ideal tool for silent installation of Virtuo Clic planks.

Gerflor®

30 years experience in LVT

Since 1985

—
Manufacturer

3 LVT Factories

—
World Class Logistics

12 Logistics Hubs

—
Gerflor Design Centre

Exclusive Designs



“ Serenity ”

Eric & Julia - End Users



“ Unique Design ”

Pierre - Architect

“ Time saving ”

Mika - Installer



“ Reliability ”

Lucas - Distributor

“ Confidence ”

Claire - Store Manager

That's why Gerflor is our

Reference



interiordesigner.gerflor.com

—
www.gerflor.com