

# Carezone Carpet

## DSDC Product Accreditation




### Class 1a

#### Textured Loop




Warm Stone  
Textured Loop 07115

LRV 18.75




Soft Taupe  
Textured Loop 07116

LRV 16.04



Natural Truffle  
Textured Loop 07117

LRV 9.96



Silver Sky  
Textured Loop 07119

LRV 14.20



Rich Granite  
Textured Loop 07118

LRV 4.75

#### Cut Pile



Warm Sandstone  
Cut Pile 07121

LRV 23.00



Warm Stone  
Cut Pile 07101

LRV 22.40




Soft Taupe  
Cut Pile 07102

LRV 18.70




Natural Hessian  
Cut Pile 07109

LRV 16.02



Cool Slate  
Cut Pile 07122

LRV 20.00



Silver Sky  
Cut Pile 07113

LRV 11.06




Natural Truffle  
Cut Pile 07103

LRV 11.89



Autumn Leaves  
Cut Pile 07106

LRV 10.45




Soft Topaz  
Cut Pile 07123

LRV 11.94



Forest Fern  
Cut Pile 07124

LRV 4.95



Velvet Damson  
Cut Pile 07108

LRV 4.04



Rich Granite  
Cut Pile 07104

LRV 5.32

### Class 1a

Finishes within this rating are plain and can be used indiscriminately. That said, bear in mind the need to contrast flooring with walls, skirtings, doors / frames, furniture & sanitary ware. Contrast is the key word. We recommend a minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.

**Gradus Carpets** is a brand of the Gerflor Group and is a UK manufacturer of premium quality carpet tile and plank, broadloom and impervious backed carpets which excel in terms of functionality, aesthetics and ease of maintenance.





# Genus & Volnay Premium Carpet

## DSDC Product Accreditation

### Class 1a


#### Volnay



Natural Straw 00318 LRV 21.68



Camouflage 00314 LRV 5.26



Azurite Blue 00322 LRV 2.84




Charcoal 00324 LRV 2.75

#### Class 1a


Finishes within this rating are plain and can be used indiscriminately. That said, bear in mind the need to contrast flooring with walls, skirtings, doors / frames, furniture & sanitary ware. Contrast is the key word. We recommend a minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.

### Class 1b


#### Genus




Black Forest 00209 LRV 12.15




Rich Red 00220 LRV 4.45



Ancient Ruby 00235 LRV 3.65



Winter Fjord 00216 LRV 5.46



Thistle 00215 LRV 6.53

#### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.



# Bodega High Performance Contractor Carpet

## DSDC Product Accreditation

### Class 1a




Barley 03816 LRV 15.94

**Class 1a**  
Finishes within this rating are plain and can be used indiscriminately. That said, bear in mind the need to contrast flooring with walls, skirtings, doors / frames, furniture & sanitary ware. Contrast is the key word. We recommend a minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.

### Class 1b



Oatmeal 03807 LRV 16.72




Mermaid 03812 LRV 8.67



Marine Blue 03823 LRV 7.46



Soft Sage 03825 LRV 14.34





Anthracite 03808 LRV 9.05

**Class 1b**  
Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.

# Stratus Premium Carpet

## DSDC Product Accreditation

### Class 1b

				
Ice Storm 06514	Rainfall 06503	Solar Blue 06513	Avalanche 06509	Firestorm 06510
LRV 11.22	LRV 11.47	LRV 3.71	LRV 16.27	LRV 7.96

**Class 1b**  
Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.



# Mipolam Symbioz Homogeneous Flooring

## DSDC Product Accreditation



### Class 1b



Cotton 6001 LRV 73.40




Lipica 6002 LRV 67.80



Ghibli 6005 LRV 52.20




Blue Sky 6006 LRV 52.70



Calico 6008 LRV 66.80




Grey Stone 6009 LRV 52.40



Mist 6010 LRV 47.80



Tangelo 6025 LRV 35.80



Cloud 6029 LRV 35.70



Stonehenge 6030 LRV 36.00



Breeze 6031 LRV 48.50



Sunshine 6032 LRV 55.40



Mole 6034 LRV 33.50



Oceania 6036 LRV 13.70



Sauge 6047 LRV 53.00



Hurricane 6050 LRV 20.20



Musk 6057 LRV 40.00



Segesta 6065 LRV 18.70



Natural Shade 4403 LRV 68.80



Crystal Ice 4408 LRV 67.10

**Class 1b**  
Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern,wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.





# Mipolam Affinity Homogeneous Flooring

## DSDC Product Accreditation



### Class 1b



Natural Shade 4403 LRV 68.80



Crystal Ice 4408 LRV 67.10

### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.




# Taralay Premium Heterogeneous Flooring

## DSDC Product Accreditation




### Class 1b




Brazilia Alvorada 0051 LRV 51.50




Brazilia Olinda 0052 LRV 37.00




Brazilia Limeira 0053 LRV 62.20




Brazilia Barueri 0054 LRV 29.90



Brazilia Teresina 0055 LRV 13.40



Brazilia Natal 0056 LRV 33.20




Brazilia Aracaju 0058 LRV 15.60



Osmoz Igloo 4378 LRV 60.00



Osmoz Storm Grey 3792 LRV 36.30



Osmoz Ivory New 4364 LRV 61.10



Osmoz Alpaga New 4365 LRV 52.20

### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.





# Taralay Impression Heterogeneous Flooring

## DSDC Product Accreditation



### Class 1a

			
Uni Matt Brick 1090	Uni Matt Copper 1089	Uni Matt Corail 1091	Uni Matt Dark Beige 1088
LRV 23.20	LRV 21.30	LRV 28.40	LRV 36.80
			
Uni Matt Dark Green 1079	Uni Matt Green 1080	Uni Matt Grey 0832	Uni Matt Indigo 1078
LRV 14.10	LRV 32.60	LRV 43.00	LRV 34.10
			
Uni Matt Jungle Grey 1084	Uni Matt Lagoon 1081	Uni Matt Light Beige 1092	Uni Matt Light Green 1082
LRV 29.00	LRV 38.60	LRV 48.20	LRV 46.90
			
Uni Matt Navy 1083	Uni Matt Poudre 1086	Uni Matt Teal 1085	Uni Matt White 0848
LRV 9.10	LRV 29.90	LRV 17.70	LRV 64.30
			
Uni Matt Yellow 1087			
LRV 53.70			

### Class 1a

Finishes within this rating are plain and can be used indiscriminately. That said, bear in mind the need to contrast flooring with walls, skirtings, doors / frames, furniture & sanitary ware. Contrast is the key word. We recommend a minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.

### Class 1b

			
Riverside 1057	Cimento Firenze 1025	Cimento Napoli 1024	Cimento Capri 0524
LRV 13.00	LRV 22.00	LRV 33.80	LRV 21.80
			
Cimento Roma 1026	Cimento Genova 0523	Finesse Nature 1064	Finesse Poudre 1066
LRV 37.80	LRV 43.10	LRV 37.60	LRV 40.50
			
Finesse Paille 1065	Finesse Brown 1063	Cimento Brescia 0543	Habana 3D Vinales 1070
LRV 44.50	LRV 36.00	LRV 32.50	LRV 35.50
			
Natural Oak Brown 1054	Natural Oak Dark 1056	Natural Oak Blond 1053	Natural Oak Clear 1055
LRV 22.90	LRV 25.50	LRV 36.80	LRV 41.20
			
Infinity Greige 0680	Infinity Aube 0720	Gentlemen Clear 0770	Gentlemen Denim 1068
LRV 33.10	LRV 47.90	LRV 46.20	LRV 23.20

### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.





# Mural Calypso Wall Covering

## DSDC Product Accreditation




### Class 1a



Uni Ice 7020 LRV 71.70



Uni Lotus 7021 LRV 71.90




Uni Snow 7611 LRV 82.80

### Class 1a

Finishes within this rating are plain and can be used indiscriminately. That said, bear in mind the need to contrast flooring with walls, skirtings, doors / frames, furniture & sanitary ware. Contrast is the key word. We recommend a minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.


### Class 1b



Haze 7010 LRV 62.30




Cloud Pink 7017 LRV 56.40




Cloud Green 7018 LRV 53.80



Cloud Terra 7019 LRV 51.00



Moonlight 7201 LRV 70.50




Lotus 7309 LRV 75.50



Linen 7311 LRV 56.50



Skyline 7408 LRV 56.80



Ice 7711 LRV 70.70



Fabric Silk 7740 LRV 58.80

### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.





# Tarasafe H<sub>2</sub>O Safety Flooring

## DSDC Product Accreditation



### Class 1b



Peyto 0024




Nile 0025



Eacham 0031




Malawi 0032




Rhine 0033



Zambezi 0034



Bacalar 0035



Lagoa 0036

### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.



# Tarasafe Impression Safety Flooring

## DSDC Product Accreditation



### Class 1b



Esterel Frejus 1713 LRV 15.90



Esterel Chocolate 0518 LRV 16.30



Capri 0524 LRV 21.80



Urban Gris 0035 LRV 24.10



Cemento Modena 0525 LRV 13.80

### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern,wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.



# Creation 70 LVT


## DSDC Product Accreditation



### Class 1a



Pure Concrete Light 1060 LRV 39.10



Pure Concrete Medium 1061 LRV 28.40

#### Class 1a

Finishes within this rating are plain and can be used indiscriminately. That said, bear in mind the need to contrast flooring with walls, skirtings, doors / frames, furniture & sanitary ware. Contrast is the key word. We recommend a minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.

### Class 1b



Onka Natural 1055 LRV 31.10



Limed Oak 0329 LRV 42.00



Silversands 0324 LRV 33.10



Carassi 0561 LRV 21.70



Onka Pearl 1056 LRV 32.90

#### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.



# Creation 55 LVT

## DSDC Product Accreditation



### Class 1b



Bostonian Oak Honey 0851 LRV 29.80



Bostonian Oak Beige 0853 LRV 36.70



Charming Oak Nature 1277 LRV 18.60



Bloom Uni Taupe 0868 LRV 28.50



Charming Oak Beige 1278 LRV 31.50

### Class 1b

Finishes within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout. Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution. Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.