

Looselay Flooring

Quick lay, sustainable solutions

gerflor.co.uk
gerflor.ie
gradus.com



Gerflor®

GRADUS



A NEW LEVEL
OF INNOVATION,
QUALITY, SERVICE
& TEAMWORK



NEXT DAY SERVICE
PRODUCT EXPERTISE
WARRANTY
SUSTAINABILITY



LOOSELAY FLOORING
ADHESIVE-FREE
FASTER INSTALLATIONS
EASY TO UPLIFT

Contents

Gerflor | Gradus

Discover the Benefits of Looselay Flooring 4

Looselay Products

Tarasafe Impression Hop 6
Vinyl Safety Flooring

Creation 40, 55 & 70 Zen 8
Acoustic LVT Solution

Creation 30, 40, 55 & 70 10
LVT Solution

Attraction, GTI Max and Creation 70 Connect 12
Fast Track Tiles

Taraflex Evolution SL & Performance SL 14
Sustainable Sports Flooring

Griptex & Texline 16
Textile Backed Flooring

Taralay Taralay Impression Hop & Libertex 18
Multilayered Flooring

Gradus Lunar & Stratus 20
Premium Carpet

Gradus Latour2 & Predator 22
High Performance Contractor Carpet

Gradus Esplanade 24
Primary Barrier Matting

Gradus Mat-in-a-Box & Access 26
Hybrid Barrier Matting

Gradus Boulevard 7000, 6000 & 1500 28
Secondary Barrier Matting

Additional Information

Innovation, Service & Design 30

Gerflor | Gradus - Fundamentals 32

Our Commitments for a Sustainable Future 34

View our full colour range

The colour options shown within this brochure are just a small selection, full colour ranges are available on our websites: gerflor.co.uk and gradus.com

Disclaimers

Due to printing limitations there may be variations between the colours of the actual flooring and images shown in this document. The technical information contained in this brochure is subject to change at any time due to products being subject to continuous improvement processes. Please check latest technical information on our websites www.gerflor.co.uk & www.gradus.com or with a sales advisor prior to ordering.

Discover the Benefits of Looselay Flooring

Looselay flooring is designed for quick and easy installation without the need for adhesives. From the outset, Gerflor & Gradus design Looselay flooring with the environment in mind with most products containing recycled and recyclable materials.

Looselay flooring doesn't require adhesive which means there are no VOC's, providing a better indoor air quality for healthier spaces. During installation, our Looselay flooring requires minimal subfloor preparation and is suitable for damp subfloors - saving time and money.

With a faster installation, there is little downtime and disruption, enabling premises to be kept open. During use, Looselay products are hardwearing and offer benefits such as surface treatments that help reduce water use during cleaning or help prolong the lifespan of surrounding floorcoverings by reducing the amount of dirt & moisture that is tracked into the building.

When no longer required, Looselay flooring can be uplifted in a simple and damage-free way that allows the flooring to be reused for future projects, or recycled so that it can be given a second life.



Adhesive Free

- > No adhesive
- > May require tape
- > Install on damp subfloors



Tackifier

- > Install with tackifier
- > Prevents flooring from moving
- > Residue easily removed



Tarasafe Impression **hop**

Looselay Vinyl Safety Flooring

Tarasafe Impression Hop is a looselay vinyl safety flooring range that is slip resistant, tough and offers outstanding performance. It is suitable for heavy traffic areas, and is an eco-friendly, fast track product that can be laid over most existing floorcoverings.

Looselay

Adhesive Free*

Easily Removable


100% Recyclable



0672 Loft White

Product benefits:

- > HSE compliant 36+ slip resistance
- > ProtecSol® Control surface treatment for easy cleaning and stain resistance. Reduces water and detergent use
- > Available in wood and mineral designs
- > Contains up to 20% recycled content
- > Install on subfloors with up to 97% RH (Relative Humidity)



Compact Sheet

Slip Resistant

Slip Resistant

Roughness

Traffic Resistance (3)**

Wear Group

Surface Treatment

Recycled Content



0543 Brescia



0672 Loft White



1070 Habana 3D Vinales



0525 Modena



0519 Noma Beige



1069 Habana 3D Trinidad

Options shown are a small selection, visit [gerflor.co.uk](https://www.gerflor.co.uk) for full colour range.
*Requires Hop reinforced holding tape. **Rolling loads up to 500kg.

Creation 40, 55 & 70 Zen

Looselay Acoustic LVT Solution

The **Creation 40, 55 & 70 Zen** collection is an exclusive, eco-designed acoustic LVT solution with a choice of wear layer thickness's that are suitable for heavy, medium and low traffic applications. It has an integrated acoustic layer that offers 20dB acoustic insulation.

Looselay

Tackifier

Easily Removable

100% Recyclable



1419 Swiss Oak Golden

Product benefits:

- > 0.40mm, 0.55 & 0.70mm wear layer options to offer different levels of durability
- > ProtecShield® surface treatment for stain resistance and easy cleaning
- > Choice of realistic wood, mineral and textile designs
- > Light, flexible, easy to transport and cut
- > Creation 50 and 70 Zen contain up to 15% recycled content
- > Install on subfloors with up to 75% RH (Relative Humidity)



Protecshield™
Surface Treatment

Bevelled Edges

Noise Absorption

Light Weight

Easy Cutting

Tiles and Planks

Matching Pvc Skirting

Recycled Content

1419 Swiss Oak Golden
Creation 40, 55 & 70 Zen

0817 Cocoon Metal
Creation 55 & 70 Zen

1481 Nature Oak Taupe
Creation 40, 55 & 70 Zen

0963 Bloom Uni Perle
Creation 40, 55 & 70 Zen

1064 Finesse Nature
Creation 40, 55 & 70 Zen

1414 Parker Station
Creation 40, 55 & 70 Zen

Options shown are a small selection, visit [gerflor.co.uk](https://www.gerflor.co.uk) for full colour range.

Creation 30, 40, 55, 70 & Saga²

Looselay LVT Solution

The **Creation and Saga²** LVT Collection is a tried and tested solution with formats suitable for heavy, medium and low traffic applications. Providing endless design possibilities and easy to install Solid Clic, Rigid Acoustic, Looselay and Looselay Acoustic formats.

Looselay

Adhesive Free

Easily Removable

100% Recyclable



Product benefits:

- > 0.30mm, 0.40mm, 0.55 & 0.70mm wear layer options to offer different levels of durability
- > Solid Clic, Rigid Acoustic, Looselay and Looselay Acoustic formats to suit a wide range of applications
- > PUR+ Matt or ProtecShield® surface treatment provides extra resilience and easy cleaning
- > Bevelled edges and embossed finish for added realism
- > Wide choice of realistic wood and mineral designs
- > Contains up to 35% recycled content
- > Install on subfloors up to 75% RH (Relative Humidity)*



Example shown: Creation 55 Clic

Protecshield™
Surface Treatment

Bevelled Edges

Matt Effect

Selected Colours
in UK Stock

Matching Pvc Skirting

Ultra Realistic Design

Tiles and Planks

Recycled Content

0347 Ballerina
Creation 30, 40 & 55

1559 Tamo Light
Creation 70

0455 Long Board
Creation 30, 40, 55 & 70

1587 Tweed Medium Beige
Saga²

0085 Dock Grey
Creation 70

1565 Urban Street Cream
Creation 55 & 70

Options shown are a small selection, visit [gerflor.co.uk](https://www.gerflor.co.uk) for full colour range.
*Solid Clic suitable up to 92% RH

Attraction, GTI Max, Creation 70 Connect, Design Tile and Industrial Tile

Looselay Fast Track Tiles

The Fast-Track Flooring collection is made up of **Attraction**, **GTI Max**, **Creation 70 Connect**, **Design Tile** and **Industrial Tile** which have interlocking edges to allow for rapid looselay installation and replacement. Highly durable and suitable for medium to heavy traffic applications with rolling loads such as retail and industry.



Looselay



Adhesive Free



Easily Removable




100% Recyclable




2741 Brooklyn / 2740 Harlem Soft

Product benefits:


- > Interlocking dovetail edges for fast installation – no need to close premises.
- > PUR+, PUR+ Matt or ProtecShield® surface treatment provides extra resilience and easy cleaning
- > Attraction, GTI Max, Design Tile & Industrial Tile contain up to 80% recycled content
Creation 70 Connect contains up to 55% recycled content
- > Attraction, GTI Max, Creation 70 Connect, Design Tile & Industrial Tile can be installed on subfloors up to 92% RH
- > Realistic mineral designs




Example shown: GTI® Max Connect




Interlocking Tile




Traffic Resistance (3)




Durability




No Close




Easy Maintenance




Recycled Content




2740 Harlem Soft
Attraction




0247 Magma
GTI Max




0087 Dock Taupe
Creation 70 Connect



2741 Brooklyn
Attraction



7015 Dark Grey
Industrial Tile



1554 Terrazzo Grey
Design Tile

Options shown are a small selection, visit gerflor.co.uk for full colour range.

Taraflex Evolution SL & Performance SL

Looselay Sustainable Sports Flooring

The **Taraflex** Sustainable Looselay collection contains a choice of **Taraflex Evolution SL** P1 or **Taraflex Performance SL** P2 sports flooring in a revolutionary easy, fast and looselay installation. Containing up to 81% natural or recycled materials combining sustainability and great sports performance and durability.

Looselay

Adhesive Free*

Easily Removable


100% Recyclable



6211 Gold

Product benefits:

- > Choice of P1 and P2 Sports flooring categories for high levels of performance and safety
- > Protecsol triple-action surface treatment for maximum slide and grip, as well as easy maintenance.
- > Contains up to 81% natural or recycled content
- > Backing made using recycled bottles: 2,000 bottles used for an 800m² court
- > Install on subfloors with up to 92% RH (Relative Humidity)



Example shown: Taraflex® Performance SL

Sport

Natural Inside

Wide Palette of Colours

Roll 2m Width

Shock Absorption

Impact Protection

Recycled Content

Protecshield™ Surface Treatment



2404 London Light Blue



6211 Gold



6038 Terracotta



5763 Maple Sun



6430 Blue



6570 Mint Green



6873 Anthracite



5742 Wood Oak

Options shown are a small selection, visit [gerflor.co.uk](https://www.gerflor.co.uk) for full colour range.
*Install with Tarafix SL holding strip.

Griptex & Texline

Looselay Textile Backed Flooring

Griptex and **Texline** are warm, comfortable and slip-resistant vinyl floor coverings that are ideal for social housing applications. Water resistant from above and below with a hygienic and easy to clean Pureclean surface treatment.

Looselay

Adhesive Free*


Easily Removable

100% Recyclable



Product benefits:

- > Outstanding indentation resistance
- > Acoustic insulation - warm and comfortable underfoot
- > Choice of wood and mineral designs
- > Backing made using 95% recycled PET bottles
- > Install on subfloors with up to 75% RH (Relative Humidity)



Example shown: Griptex

Roll 2m Width

Comfort Underfoot

Dimensional Stability

Install on Ceramic Tiles**

Impact Sound Insulation

Waterproof

Easy Maintenance

Recycled Content



2256 Opera Medium Griptex



2263 Savannah Sand Griptex



2309 Azay Beige Texline



1981 Provence Black & White Texline



1284 Verone Light Grey Griptex



2259 Shade Medium Grey Griptex



2013 Sherwood Blond Texline



2011 Fjord Black Texline

Options shown are a small selection, visit gerflor.co.uk for full colour range.
*Up to 35sqm. **Install on ceramic tiles under certain conditions.

Taralay Impression **hop** & Libertex

Looselay Multilayered Flooring

The **Taralay** collection contains a choice of **Taralay Libertex** and **Taralay Impression Hop** Compact or Acoustic in an easy to install looselay format. Suitable for heavy commercial environments and available in a wide choice of wood, mineral, plain, graphic and textile designs.

Looselay

Adhesive Free*

Easily Removable


100% Recyclable



2256 Opera Medium

Product benefits:

- > Acoustic options for promoting peaceful spaces
- > Protecsol® or Protecsol®2 surface treatment for easy cleaning and maintenance, reducing water use
- > Wide choice of wood, mineral, stone, plain, graphic and textile designs
- > Taralay Impression Hop contains up to 23% recycled material
- > Install on subfloors with up to 75% RH (Relative Humidity)



Example shown:
Taralay Impression Hop

Roll 2m Width

Dimensional Stability

Protecsol® / Protecsol® 2
Surface Treatments

Indentation Resistance

Traffic Resistance (3)


Wide Palette of Colours

R10
Slip Resistant

Recycled Content



1104 Wood Fusion Nature
Taralay Impression Hop



1028 Rough Beige
Taralay Impression Hop



2247 Hossegor Latte
Taralay Libertex



2152 Amsterdam Grey
Taralay Libertex



1082 Uni Matt Light Green
Taralay Impression Hop



1099 Envol Forest
Taralay Impression Hop



2245 Skandi Oak Natural
Taralay Libertex



1785 Reflect Earth
Taralay Libertex

Options shown are a small selection, visit [gerflor.co.uk](https://www.gerflor.co.uk) for full colour range.
*Install with fixing tape.

Gradus Lunar & Stratus

Looselay Premium Carpet


The **Gradus Carpet** collection contains a wide range of premium carpet for heavy commercial applications. Featuring acoustic properties to help reduce noise in a wide choice of designs and colours.




Lunar Cosmic Pink 07409

Product benefits:


- > Plain and organic designs available
- > Take-back scheme available
- > Stratus manufactured using ECONYL® Regenerated Solution Dyed Nylon yarn
- > Lunar contains 62% recycled content, and Stratus contains 78% recycled content
- > Backing made using 75% Polymer Modified recycled material
- > Install on subfloors with up to 75% RH (Relative Humidity)



Example shown: Lunar




Cosmic Pink 07409
Lunar




Picard 07406
Lunar




Arctic Mist 06512
Stratus



Rainfall 06503
Stratus




Astral Blue 07413
Lunar



Rook 07405
Lunar



Typhoon 06502
Stratus



Jet Stream 06506
Stratus

Options shown are a small selection, visit [gerflor.co.uk](https://www.gerflor.co.uk) for full colour range.

Gradus Latour² & Predator

Looselay High Performance Contractor Carpet

The **Gradus Carpet** collection contains a wide range of high-performance contractor carpet for cost-effective heavy commercial applications. Latour² is stocked in the UK for fast turnaround times.

Looselay

Tackifier


Easily Removable

100% Recyclable



Product benefits:

- > Plain and stripe designs available
- > Take-back scheme available
- > Predator manufactured using ECONYL® Regenerated Solution Dyed Nylon yarn
- > Latour2 contains 66% recycled content, and Predator contains 78% recycled content
- > Backing made using 75% Polymer Modified recycled material
- > Install on subfloors with up to 75% RH (Relative Humidity)



Loop Pile

Carpet Tile

Quick Delivery

Traffic Resistance (3)

Durability

Comfort Underfoot

Recycled Content

<p>Howden 01243 Latour²</p>	<p>Langdale 01143 Latour²</p>	<p>Hawk 03316 Predator</p>	<p>Barracuda 03305 Predator</p>
<p>Alston 00500 Latour²</p>	<p>Stanage 00900 Latour²</p>	<p>Osprey 03324 Predator</p>	<p>Piranha 03320 Predator</p>

Options shown are a small selection, visit [gerflor.co.uk](https://www.gerflor.co.uk) for full colour range.

Gradus Esplanade

Looselay Primary Barrier Matting

Primary Barrier Matting features a range of entrance matting suitable for medium to severe levels of foot and wheeled traffic. With a choice of carpet wipers to provide optimal levels of dirt and moisture removal, extending the lifespan of surrounding floorcoverings.

Looselay

Adhesive Free

Easily Removable

100% Recyclable



Product benefits:

- > Helps reduce dirt and moisture into the building
- > Designed to withstand medium or severe levels of foot and wheeled traffic
- > Choice of carpet wipers in a range of colours
- > Selected ranges available in aluminium or a choice of premium bronze anodised finishes
- > Esplanade 5000 carpet wipers manufactured using ECONYL® Regenerated Solution Dyed Nylon yarn
- > Aluminium carriers contain 25% recycled content

Primary Matting

Traffic Resistance (3)


Wheeled Traffic

Removes Dirt


Absorbs Moisture

Durability



Esplanade 9000
12mm or 18mm thickness
with double wiper




Esplanade 5000
12mm or 18mm thickness
with Boulevard 5000 wiper




Esplanade 1500
16.5mm thickness
with Boulevard 1500 wiper



Esplanade 9000 open construction
Closed construction with grey double wipers



Esplanade 5000 closed construction
Closed construction with Corncrake wipers



Esplanade 1500 scraper construction
Scraper construction with Calculus wipers

Options shown are a small selection, visit gradus.com for full colour range.

Gradus Mat-in-a-Box & Access

Looselay Hybrid Barrier Matting

The **Hybrid Barrier Matting** collection features a range of modular entrance matting suitable for medium levels of foot and wheeled traffic. With a choice of carpet wipers to provide optimal levels of dirt and moisture removal, extending the lifespan of surrounding floorcoverings.

Looselay

Adhesive Free

Easily Removable

100% Recyclable



Product benefits:

- > Helps reduce dirt and moisture into the building
- > Designed to withstand medium levels of foot and wheeled traffic
- > Choice of carpet wipers in a range of colours
- > Modular system which is quick and easy to install
- > Mat-in-a-Box and Access 6000 & 5000 carpet wipers manufactured using ECONYL® Regenerated Solution Dyed Nylon yarn

Hybrid Matting

Traffic Resistance (3)



Wheeled Traffic

Removes Dirt

Absorbs Moisture



Durability

Mat-in-a-Box 6000
12mm or 18mm thickness
with Boulevard 6000 wiper




Mat-in-a-Box 6000 closed construction
Black base & Shadow wipers

Access 5000
12mm or 17mm thickness
with Boulevard 5000 wiper



Access 5000 closed construction
Grey base & Falcon wipers

Mat-in-a-Box 1550
12mm thickness
with Boulevard 1500 wiper



Mat-in-a-Box 1550 scraper construction
Glacier grey base & Calculus wipers

Options shown are a small selection, visit gradus.com for full colour range.

Gradus Boulevard 7000, 6000 & 1500

Looselay Secondary Barrier Matting

Secondary Barrier Matting is ideal for use at internal entrances and access points as well as in high traffic circulation areas. Can be used in conjunction with our Primary and Hybrid Barrier Matting to provide enhanced levels of dirt and moisture removal.



Looselay



Tackifier



Easily Removable



100% Recyclable



Product benefits:

- > Helps reduce dirt and moisture into the building, prolonging the lifespan of surrounding floor coverings
- > Available in a choice of colours to coordinate with other Gradus Matting Systems
- > Boulevard 6000 manufactured using ECONYL® Regenerated Solution Dyed Nylon yarn
- > Install on subfloors with up to 75% RH (Relative Humidity)



Secondary Matting



Rolls



Tiles



Traffic Resistance (3)



Wheeled Traffic




Removes Dirt




Absorbs Moisture



Durability



Boulevard 7000
Gray Birch



Boulevard 6000
Indigo



Boulevard 1500
Tempestas

Options shown are a small selection, visit gradus.com for full colour range.

Innovation, Service & Design



Surface Treatments

Our resilient flooring surface treatments can be incredibly beneficial, not only for enhanced cleanliness and hygiene but for ease of cleaning and maintenance. Gerflor Evercare, ProtecSol2, Neoare, PUR, Sparclean, ProtecSol Control and ProtecShield surface treatments use antimicrobial agents which can inhibit the growth of bacteria and other micro-organisms to create a cleaner and healthier environment. These coatings make resilient flooring easier to clean and maintain, which reduces water and detergent use, helping to lower levels of operational carbon.



Floor Plan Design Service

For projects, Gerflor & Gradus offer a free floor plan design service to provide a bespoke design scheme that falls within your specific budget. Utilising your CAD drawings, our in-house Creative Design Team will provide a floor plan that shows a coordinated floor scheme using a combination of products from Gerflor & Gradus' portfolio such as Carpets, LVT, Resilient Flooring, Safety Flooring, Barrier Matting, Wall Protection, LED Lighting and Stair Edgings. The floor plan aims to offer solutions that are the most suitable product for the specific areas in terms of the latest guidance as well as aesthetics, performance, and durability.



Local Stock

We have stock our best-selling ranges locally in the UK. Our 100,000 sqft. Warehousing and distribution facility in Winsford, along with with our warehouse and distribution facility in Macclesfield, offer a broad range of in-depth stock to provide an enhanced service level. Essential when time is of the essence and our customers need innovative products and fast delivery for quick turnaround projects. Contact us for stock availability or further information.





GRADUS
A Gerflor company

FUNDAMENTALS

A FUSION OF PRODUCTS & VALUES

Gerflor and Gradus offer products which are ideal for use in a wide variety of applications including healthcare, commercial office, education, retail, hospitality & leisure and housing. Products can be combined to provide a complete package that balances performance, aesthetics and cost alongside environmentally responsible manufacturing processes.

A FRESH APPROACH

We believe passionately in providing the customer with the very best in terms of service. Through our combined team we can offer expert advice to help with product selection backed up with extensive UK stocks to ensure our products are delivered on-time, every-time.



Gerflor teams have always considered customers and the environment as their absolute priorities. Our floor coverings, wall solutions and finishing components are user friendly, sustainable solutions. They are designed with respect for our planet to last as long as possible with proposed end-of-life options. From product design through to end-of-life, the circular economy is a core priority for the group. We have set out key commitments to guide our environmental management up to 2025.



GRADUS

At Gradus, we care deeply about our planet and our role in its future. We are committed to reducing our environmental footprint and enhancing our positive impact. By 2025, we aim to achieve ambitious targets which include reducing carbon emissions, wastage and usage. We are also committed to boosting recycling and moving into green energy. In addition we are working with local communities by giving back to society and local causes.



Gerflor[®]

GRADUS

Head Office:

Park Green,
Macclesfield,
Cheshire, SK11 7LZ

Gerflor enquiries

Tel: 01625 428922
E-mail: contractuk@gerflor.com
Website: gerflor.co.uk

Gradus enquiries

Tel: 01625 428922
E-mail: imail@gradus.com
Website: gradus.com